



Frontier King Cab LE 4x4 shown in Super Black

PRINTED EXCLUSIVELY FOR

Gandrud Nissan

2009 NISSAN FRONTIER

MID-SIZE MPG. FULL-SIZE HARDWARE. Forge your way with an efficient mid-size body hugging a fully boxed ladder frame. 261 hp and 281 lb-ft of grunt as your guide. Single-minded ruggedness married to advanced technology. A spray-on bedliner when the catch of the day is a 400-lb boulder – tied down with Utili-track™ to make sure the rock doesn't roll. 6,500-lb towing capacity to handle the toys.¹ Bluetooth® to handle the calls. Just load up the Rockford Fosgate with 1,000 songs and aim for the horizon. You'll get there.

¹ See your owner's manual and Nissan Towing Guide for specific towing information. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.



EIGHT RUGGED MODELS TO CHOOSE FROM.



XE AND SE 4-CYLINDER KING CAB



SE V6 KING CAB AND CREW CAB



PRO-4X KING CAB AND CREW CAB



LE KING CAB AND CREW CAB

FEATURES

	XE/SE 4x2	SE V6 4x4	PRO-4X 4x4	LE 4x2 4x4
EXTERIOR	Automatic on/off headlights			1
	Fog lights			
	Roof rack with crossbars		M1	1
	Step rails			
	Front tow hook			
	Splash guards (PRO-4X 4x2 and all 4x4 models)			
	Upper body-color/lower argent front bumper and chrome rear bumper (XE)			
	Chrome front and rear bumpers (N/A on XE)			
	Body-color front and rear bumpers			
	Chrome grille			
	Black door handles and outside mirrors			
	Body-color door handles and outside mirrors			
	Chrome door handles and outside mirrors			
	Dual power outside mirrors	P	V1	
	Heated outside mirrors			V2 V2
AUDIO	Body-color side moldings			
	Long Bed		1	1
	Utili-track™ Bed Channel System with four tie-down cleats		1	
	Factory-applied spray-on bedliner and bed rail caps		1	
	Locking tailgate and cargo bed light			
	Power sliding glass sunroof with one-touch open/close		M1	M1 M1
	Sliding rear window ² and rear privacy glass (N/A on XE)			
	AM/FM/CD audio system (standard on SE 4-cyl.)	PR		
	AM/FM/in-dash 6-CD audio system		TE ²	TE ²
	Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer		TE ¹	TE ¹
	Steering wheel-mounted audio controls		TE	TE
	MP3/WMA CD playback capability and auxiliary audio input jack ³		TE	TE
	Four speakers		2	2
	Six speakers		1 TE ²	1 TE ²
	Ten speakers, including subwoofers		TE ¹	TE ¹
INTERIOR	Auxiliary audio input jack		TE	TE
	XM® Satellite Radio – includes activation and 3 months of service ⁴		TE ⁵	TE
	Bluetooth® Hands-free Phone System		TE	TE
	Air conditioning (standard on SE 4-cyl.)	PR		
	Power door locks and windows with driver's window one-touch auto-down	P	V1	
	Remote keyless entry	P	V1	
	Cruise control	P	V1	
	HomeLink® Universal Transceiver			1
	Auto-dimming rearview mirror, digital compass, outside temperature display			1
	Front map lights, voltage and oil pressure gauges			
	Multi-functional trip computer			
	Dual sun visors with extenders and dual visor vanity mirrors (N/A on XE)			
	Tilt steering wheel column (N/A on XE)			
	First Aid kit			

	XE/SE 4x2	SE V6 4x4	PRO-4X 4x4	LE 4x2 4x4
SEATING/APPOINTMENTS	8-way manual driver's seat with adjustable lumbar support			
	8-way power adjustable driver's seat with adjustable lumbar support		V2 ¹	
	4-way power adjustable passenger's seat		V2 ¹	V2 ¹
	Fold-down front-passenger's seat (N/A with leather)			
	Heated front seats		V2 ¹	V2 ¹
	Forward-facing rear flip-up seats	2	2	2
	60/40 split flip-up rear bench seat		1	1
	Rear fold-down center armrest		V2 ¹	V2 ¹
	Cloth seat trim			
	Leather-appointed seats		V2 ¹	V2 ¹
	Leather-wrapped steering wheel			
	Second-row under-seat storage			
	Eight beverage holders and front and rear door storage pockets			
	Overhead sunglasses storage and driver's seatback pocket		1	
	SAFETY/SECURITY	Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat belt and occupant-classification sensors		
Driver and front-passenger seat-mounted side-impact supplemental air bags		AB	AB	AB
Roof-mounted curtain supplemental air bags for side-impact and rollover head protection for outboard occupants		AB	AB	AB
Vehicle Dynamic Control (VDC) ⁶				TR
3-point ALR/ELR passenger seat belt system (ELR for driver)				
Front-seat Active Head Restraints				
Front seat belts with pretensioners and load limiters				
LATCH System (Lower Anchors and Tethers for CHildren)				
Energy-absorbing steering column				
Zone Body construction with front and rear crumple zones				
Hood buckling creases and energy-absorbing steering column				
Pipe-style steel side-door guard beams				
Tire Pressure Monitoring System (TPMS)				
Vehicle Security System			V1 ¹	TE ² TE ² 1
Nissan Vehicle Immobilizer System			1	TE ² TE ² 1

- Standard
- Optional
- M Part of Moonroof Package
- P Part of SE 4-cyl. Power Package
- V1 Part of SE V6 Value Truck Package
- V2 Part of PRO-4X/LE Value Truck Package
- PR Part of XE Preferred Package
- TE Part of PRO-4X/LE Technology Package
- AB Part of Side Air Bags Option
- TR Part of PRO-4X/LE Traction Package

¹ Crew Cab only. ² King Cab only. ³ Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ⁴ XM® Satellite Radio requires XM subscription sold separately after first three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States and Canada. The XM name is a registered trademark of XM Satellite Radio Inc. ⁵ Satellite radio not available on manual transmission PRO-4X King Cab models. ⁶ VDC cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license. ® HomeLink is a registered trademark of Johnson Controls Technology Company.

FRONTIER KING CAB + CREW CAB

OFF-ROAD CAPABILITIES	KING CAB	CREW CAB			
Minimum running ground clearance at rear differential	8.7"–10.1"	9.8"–10.1"			
Angle of approach: V6 models – 4x2 (4x4)	30.5° (31.5°) ¹	30.5° (31.5°) ¹			
Angle of departure: V6 models – 4x2 (4x4)	22.1° (22.6°) ²	22.1° (22.6°) ²			
Ramp over angle: V6 models	19.5°–20.6°	19.5°–20.6°			
MAXIMUM TOWING CAPABILITIES (LBS) ³	KING CAB	CREW CAB			
4-cylinder	3,500	—			
V6 – 4x2 (4x4)	6,500 (6,300)	6,300 (6,100)			
MAXIMUM PAYLOAD (LBS)	XE	SE 4-CYL.	SE V6	PRO-4X	LE
King Cab – 4x2 (4x4)					
Manual transmission	1,002 (N/A)	905 (N/A)	1,583 ⁵ (1,378)	N/A (1,233)	—
Automatic transmission	Payload N/A ⁴	899 (N/A)	1,431 (1,363)	1,289 (1,218)	1,377 (1,308)
Crew Cab – 4x2 (4x4)					
Manual transmission	—	—	1,419 (1,214)	—	—
Automatic transmission	—	—	1,437 (1,348)	1,312 (1,127)	1,425 (1,316)
Long Bed manual transmission	—	—	1,364 (1,125)	—	—
Long Bed automatic transmission	—	—	1,389 (1,259)	—	1,326 (1,216)
DIMENSIONS (INCHES)	KING CAB	CREW CAB			
Wheelbase	125.9	125.9 (139.9 with Long Bed)			
Overall length	205.5	205.5 (219.4 with Long Bed)			
Overall width	72.8 (without mirrors)	72.8 (without mirrors)			
Overall height	68.7–69.7	70.1 (without roof rack; 73.9 with roof rack)			
Track width (front/rear)	61.8/61.8	61.8/61.8			
Cargo bed length	73.3	59.5 (73.3 with Long Bed)			
Cargo bed width	61.4	61.4			
Cargo bed height	18.0	18.0			
Head room (front/rear)	39.7/38.3	40.0/38.7 (without moonroof)			
Leg room (front/rear)	42.4/25.4	42.4/33.6			
Hip room (front/rear)	55.8/55.0	55.6/58.0			
Shoulder room (front/rear)	58.3/54.9	58.3/58.3			
CAPACITIES	KING CAB	CREW CAB			
Interior passenger volume (cu. ft.)	87.7	101.1			
Fuel tank (gals.)	21.1	21.1			

ENGINE

QR25DE – 2.5-liter DOHC 16-valve 4-cylinder engine

Horsepower – 152 hp @ 5,200 rpm

Torque – 171 lb-ft @ 4,400 rpm

Emissions – LEV2 ULEV

Continuously Variable Valve Timing Control System (CVTCS)

Nissan Direct Ignition System with platinum-tipped spark plugs

Electronic drive-by-wire throttle

Variable Intake System

VQ40DE – 4.0-liter DOHC 24-valve V6 engine

Horsepower – 261 hp @ 5,600 rpm

Torque – 281 lb-ft @ 4,000 rpm

Emissions – LEV2 ULEV

Continuously Variable Valve Timing Control System (CVTCS)

Nissan Direct Ignition System with platinum-tipped spark plugs

Electronic drive-by-wire throttle

Variable Intake System

N/A = Not applicable. ¹ 32.6° on PRO-4X 4x4. ² 23.3° on PRO-4X 4x4. ³ 7-pin connector trailer wire harness and tow receiver hitch required. ⁴ Information not available at this time.

⁵ When equipped with alloy wheels.

DRIVETRAIN

5-speed manual transmission (XE, SE 4-cyl.)

6-speed manual transmission (Standard on SE V6; optional on PRO-4X KC 4x4)

5-speed automatic transmission (Standard on PRO-4X, LE; optional on XE 4-cyl., SE 4-cyl., and SE V6)

Optional: Switch-operated 2-speed transfer case (4x4 models only; not available on XE, SE 4-cyl.)

Electronic locking rear differential (PRO-4X)

2-wheel Limited Slip (ABLS) (Standard on PRO-4X 4x2; optional on SE V6 4x2, LE 4x2)

4-wheel Limited Slip (ABLS) (Standard on PRO-4X 4x4; optional on SE V6 4x4, LE 4x4)

Clutch Start/Cancel (PRO-4X 4x4 manual transmission only)

Hill descent control and hill start assist (Optional on PRO-4X 4x4 [AT only], LE 4x4)

SKID PLATES

Oil pan (PRO-4X)

Fuel tank (PRO-4X)

Transfer case (PRO-4X 4x4)

WHEELS AND TIRES

15" x 7" 6-spoke steel wheels (XE)

16" x 7" 6-spoke steel wheels (SE 4-cyl., SE V6 CC Standard Bed)

16" x 7" 5-spoke aluminum-alloy wheels (Optional on SE V6, standard on SE V6 CC Long Bed)

16" x 7" 6-spoke aluminum-alloy wheels (PRO-4X)

18" x 7.5" 12-spoke aluminum-alloy wheels (LE)

P235/75/15 General Grabber™ all-season tires (XE)

P265/70R16 BFGoodrich® Radial Long Trail® tires (SE)

P265/75R16 BFGoodrich® Rugged Trail® tires (PRO-4X)

P265/60R18 BFGoodrich® Radial Long Trail® tires (LE)

Full-size spare tire

BRAKES

Front vented disc brakes/rear vented disc brakes

4-wheel Anti-lock Braking System (ABS)

Electronic Brake force Distribution (EBD)

SUSPENSION AND STEERING

Front: Independent double-wishbone with front stabilizer bar

Rear: Overslung multi-leaf with solid axle

Bilstein® off-road performance shock absorbers (PRO-4X)

Engine-speed-sensitive power-assisted rack-and-pinion steering

2009 EPA FUEL ECONOMY ESTIMATES (CITY/HWY)

	4-CYLINDER	V6
M/T – 4x2 (4x4)	19/23 (N/A)	16/20 (15/19)
A/T – 4x2 (4x4)	17/22 (N/A)	15/20 (14/19)

Actual mileage may vary with driving conditions – use for comparison only.

TM General Grabber is a trademark of General Tire & Rubber Company.

[®] BFGoodrich is a registered trademark of Goodrich Corporation.

[®] Rugged Trail and Long Trail are registered trademarks of Uniroyal

Goodrich Licensing Services, Inc. [®] Bilstein is a registered trademark of ThyssenKrupp Bilstein GmbH.

NISSAN FRONTIER PACKAGES

Package requirements and availability may vary. Please see your Nissan dealer for details.

XE PREFERRED PACKAGE (KING CAB ONLY)

AM/FM/CD audio system
Air conditioning

SE 4-CYL. POWER PACKAGE (KING CAB ONLY)

Power windows with driver's window auto-down
Power door locks with auto-locking feature
Power outside mirrors
Remote keyless entry
Cruise control

SE V6 VALUE TRUCK PACKAGE

2-wheel or 4-wheel Limited Slip (ABLS)
16" 5-spoke aluminum-alloy wheels (Standard on Long Bed CC)
Bedliner (KC)
Sliding bed extender (CC Standard Bed)
Sliding bed divider (CC Long Bed)
Power windows with driver's window auto-down
Power door locks with auto-locking feature
Power outside mirrors
Remote keyless entry
Cruise control
Vehicle Security System (CC)
Floor mats
In-cabin microfilter

PRO-4X/LE TECHNOLOGY PACKAGE

Bluetooth® Hands-free Phone System
AM/FM/in-dash 6-CD audio system with 6 speakers (KC)
Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer with 10 speakers, including subwoofers (CC)
Steering wheel-mounted audio controls
Auxiliary audio input jack¹
MP3/WMA CD playback capability
XM® Satellite Radio²
Vehicle security system (KC)
Nissan Vehicle Immobilizer System (KC)

PRO-4X/LE TRACTION PACKAGE (4X4 WITH AUTOMATIC TRANSMISSION ONLY)

Vehicle Dynamic Control (VDC)³
Hill descent control and hill start assist
4-wheel Limited Slip (ABLS)⁴ (LE models only)

SIDE AIR BAGS OPTION

Driver and front-passenger seat-mounted side-impact supplemental air bags
Roof-mounted curtain supplemental air bags for side-impact and rollover head protection for outboard occupants

MOONROOF PACKAGE (CREW CAB ONLY)

Power sliding glass moonroof
Roof rack with crossbars (PRO-4X only; standard on LE)

PRO-4X/LE VALUE TRUCK PACKAGE (CREW CAB ONLY)

This package includes PRO-4X/LE Technology Package contents, plus:
Leather-appointed seats (LE)
PRO-4X embroidered leather-appointed seats (PRO-4X)
8-way power adjustable driver's seat (PRO-4X only; standard on LE)
4-way power adjustable front-passenger's seat
Heated front seats
Rear fold-down center armrest
Heated outside mirrors



< A large, adaptable interior opens up a world of opportunities for you, your crew and your gear.

One of the most innovative and > flexible truck beds, featuring Nissan's exclusive Utili-track™ bed channel system.



Frontier features a strong, > fully boxed frame boasting increased structural rigidity for improved dynamic performance.



< PRO-4X Frontier is the ultimate in off-road performance, featuring some of the most advanced off-road technology and hardware available.

WARRANTY

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. For complete information, see your Nissan dealer and read the actual limited warranty. For extra protection, you can also add Security+Plus,® the only extended service agreement approved by Nissan.

Choose a dealer to buy your Nissan Frontier:

GANDRUD NISSAN
919 AUTO PLAZA DR
GREEN BAY, WI 54302
(920) 468-6800

BERGSTROM NISSAN
3265 S WASHBURN ST
OSHKOSH, WI 54904
(920) 236-1000

BERGSTROM NISSAN OF APPLETON
3027 VICTORY LANE
APPLETON, WI 54913
(920) 749-3232

MOTORVILLE NISSAN
5515 RACETRACK RD
SHEBOYGAN, WI 53081
(920) 457-8844

¹ Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ² XM® Satellite Radio requires XM subscription sold separately after first three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States and Canada. The XM name is a registered trademark of XM Satellite Radio Inc. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license. Satellite radio not available on manual transmission PRO-4X King Cab models. ³ VDC cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. ⁴ Active Brake Limited Slip.

All illustrations, photographs, and specifications are based on the latest product information available. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc., reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Always wear your seat belt, and please don't drink and drive. © 2008 Nissan North America, Inc.