

NISSAN Commercial Vehicles



Nissan NV2500 HD SV models shown in Radiant Silver

PRINTED EXCLUSIVELY FOR

Gandrud Nissan

2012 NISSAN NV LINEUP

INNOVATION THAT WORKS. More than a van, it's a new way of doing business. We started by asking you what current vans do right, and what they don't. We listened. We learned. And then we really went to work. The result is the groundbreaking NV Lineup, with a choice of Standard and High Roof models and three different grades to match your needs. With powerful and reliable drivetrains and fully boxed full-length ladder frames, it's up for any job. With up to 323 cubic feet of cargo space and loaded with innovation from the biggest idea to the smallest detail, getting the job done has never been easier. It's time to rethink the way you do business, and time to put the Nissan NV Lineup to work for you.

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.



SHIFT the way you move

FEATURES

	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV	
EXTERIOR	Standard Roof						
	High Roof			H	H	H	
	Black grille						
	Black door handles and outside mirrors						
	Black bumpers						
	Chrome grille						
	Chrome door handles and outside mirrors						
	Chrome bumpers						
	Dual power outside mirrors						
	Power heated chrome extendable tow mirrors				T	T	
	10 Roof rack mounting points (Standard Roof)						
	8 Roof rack mounting points (High Roof)			H	H	H	
	50/50 Split rear cargo doors with opening locking feature						
	Magnetic door locks (to secure open rear doors)						
	243° Maximum opening range for rear cargo doors						
	Sliding side door on passenger side						
	UV-reducing front windshield glass						
	Rear window defroster		R		R		R
	Halogen headlights						
	Front and rear splash guards	AC	AC	AC	AC	AC	AC
	2 Front tow hooks				T	T	
	Rear Sonar System						
	Rear privacy glass	R	R	R	R	R	R
	Class IV tow hitch receiver				T	T	
	ENTERTAINMENT	AM/FM/CD audio system					
		Radio Data System (RDS)					
		MP3/WMA CD playback capability					
		Auxiliary audio input jack					
		USB audio input		TP		TP	TP
		Steering-wheel-mounted audio controls					
		2 Speakers					
		4 Speakers					
		Satellite radio pre-wiring		TP		TP	TP
XM® Satellite Radio¹			TP		TP	TP	
INTERIOR	Nissan Navigation System with 5.0" color touchscreen monitor and XM NavTraffic²		TP		TP	TP	
	Bluetooth® Hands-free Phone System		TP		TP	TP	
	Air conditioning						
	36 Integrated reinforced cargo-mounting points for custom shelving						
	11 Integrated reinforced cargo-mounting points for bulkhead partition						
	10 Integrated reinforced mounting points in ceiling for interior ladder rack installation						
	6 Floor-mounted D-rings in cargo area						
	Pre-wiring for electrical upfitting						
	3 Cargo area work lights (1 on 1500)						
	Vertical sidewall design						
	Hardboard interior cargo panels						
	Interior rearview mirror	R	R	R	R	R	
	Rear cargo floor protector (optional on High Roof S)						
	5 Assist grips (4 on S models)						
	Remote keyless entry						
Power windows with driver's one-touch auto-down with auto-reverse							
Power door locks with auto-locking feature							
Cruise control with steering-wheel-mounted controls							
Tilt steering column							

	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
INTERIOR (cont.)	Variable intermittent windshield wipers					
	Multi-functional trip computer with maintenance intervals					
	Full-length overhead cabin storage shelving w/ map lights (High Roof)			H	H	H
	Multi-functional lockable center console with file and laptop computer storage with built-in clipboard holder					
	Driver's and passenger's under-seat slide-out storage trays					
	Front-door map pockets					
	6 Cup holders					
	12-volt DC power outlet					
	Two 12-volt DC power outlets					
	Two 120-volt power outlets					
	Rear door storage					
	RearView Monitor		TP		TP	TP
	SEATING	Gray cloth front seats with reinforced side bolster wear patches				
		Water-repellent seating surfaces				
		4-way manual driver's seat				
4-way manual passenger's seat						
8-way power adjustable driver's seat with manual lumbar						
Fold-down passenger's seat with seatback tray table						
SAFETY/SECURITY	Driver and passenger dual-stage supplemental front air bags with seatbelt sensors					
	Driver's and passenger's seat-mounted side-impact supplemental air bags	AB	AB	AB	AB	AB
	Roof-mounted curtain supplemental air bags for side-impact and rollover head protection	AB	AB	AB	AB	AB
	Vehicle Dynamic Control (VDC)					
	Traction Control System (TCS)					
	3-point ALR/ELR passenger seat belt system (ELR for driver)					
	Front seat belts with pretensioners and load limiters					
	Passenger-seat top tether anchor					
	Pipe-style steel side-door guard beams					
	Zone Body construction with front and rear crumple zones					
	Hood-buckling creases and safety stops					
	Energy-absorbing steering column					
	Steering wheel lock					
	Break-away engine mounts					
	Slide-away brake pedal assembly					
Tire Pressure Monitoring System (TPMS)						
Vehicle Security System						
Nissan Vehicle Immobilizer System						

Standard
 Optional
 AC Accessory
 H High Roof
 TP Part of Technology Package
 AB Part of Side and Curtain Air Bags Package
 T Part of Towing Package
 R Part of Rear Door Glass Package

¹XM Satellite Radio and XM NavTraffic require subscriptions sold separately after trial period. Subscriptions governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2010 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries.

²See Nissan Towing Guide and Owner's Manual for proper use.

³The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

DIMENSIONS



SPECIFICATIONS

EXTERIOR DIMENSIONS - INCHES

	STANDARD ROOF	HIGH ROOF
Wheelbase	146.1	146.1
Overall length	240.6	240.6
Overall width (without mirrors)	79.9	79.9
Overall width (with tow mirrors)	102.8	102.8
Overall height	83.9 (84.9 for 3500)	105.0 (106.0 for 3500)
Track width (front)	68.7	68.7
Track width (rear)	68.9	68.9
Sliding door width	41.9	41.9
Step-in height (front)	18.0 (18.7 for 3500)	18.0 (18.7 for 3500)
Step-in height (slide door)	19.4 (20.2 for 3500)	19.4 (20.2 for 3500)
Step-in height (rear)	19.8 (20.9 for 3500)	19.8 (20.9 for 3500)
Cargo area liftover height	28.5	28.5
Angle of approach (degrees)	17.5°	17.5°
Angle of departure (degrees)	17.4°	17.4°
Turning diameter (ft.)	45.2	45.2

INTERIOR DIMENSIONS - INCHES

	STANDARD ROOF	HIGH ROOF
Head room	42.8	63.6
Leg room	42.0	42.0
Hip room	60.6	60.6
Shoulder room	65.7	65.7

CARGO DIMENSIONS - INCHES

	STANDARD ROOF	HIGH ROOF
Cargo volume (cu. ft.)	234.1	323.1
EPA interior passenger volume (cu. ft.)	68.3	101.5
Total interior volume (cu. ft.)	299.7	420.5
Maximum cargo length	120.0	120.0
Maximum cargo length behind center console at vehicle center	121.9	121.9
Maximum cargo length without center console at vehicle center	150.4	150.4
Maximum cargo width	70.2	70.2
Cargo width at wheelhouse floor	54.3	54.3
Maximum cargo height	55.8	76.9

CAPACITIES

	STANDARD ROOF	HIGH ROOF
Roof load capacity (lbs.)	500	300
Fuel tank (gals.)	28.0	28.0
Engine oil (qts.)	5.4 (V6) 6.5 (V8)	5.4 (V6) 6.5 (V8)

WEIGHT - LBS.

	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
GVWR	8550	8550	9,100	9,100	9,900	9,900

CURB WEIGHT - LBS.

	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
Std. Roof (V6)	5,791	5,854	5,810	5,903	-	-
Std. Roof (V8)	-	-	5,874	5,967	5,878	5,971
High Roof (V6)	-	-	5,973	6,067	-	-
High Roof (V8)	-	-	6,046	6,139	6,050	6,143

MAX PAYLOAD - LBS.

	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
Std. Roof (V6)	2,590	2,535	3,141	3,031	-	-
Std. Roof (V8)	-	-	3,086	2,976	3,925	3,747
High Roof (V6)	-	-	2,921	2,866	-	-
High Roof (V8)	-	-	2,866	2,755	3,637	3,582

TOWING CAPACITY - LBS.

With standard bumper towing	2,000 ¹
With tow hitch receiver (V6)	7,000 ²
With tow hitch receiver (V8)	9,500 ³

DESIGNED FOR THE WAY YOU WORK

Nissan knows that your commercial vehicle is your business. Advertise on the road with vehicle graphics from Original Wraps. Organize your NV's cargo space to fit your needs with racks and bins from Adrian Steel. From the inside out, Nissan has all of the tools you need online.

Go to nissancommercialvehicles.com to build your own.



¹See Nissan Towing Guide and Owner's Manual for proper use.

²With available tow hitch accessory. See Nissan Towing Guide and Owner's Manual for proper use.

³Requires available Towing Package. See Nissan Towing Guide and Owner's Manual for proper use.

Cargo and load capacity limited by weight and distribution. Always secure all cargo. Do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details.

SPECIFICATIONS (CONT.)

ENGINE

VQ40DE – 4.0-liter DOHC 24-valve V6 engine

Standard on NV1500, NV2500 HD
Horsepower – 261 hp @ 5,600 rpm
Torque – 281 lb-ft @ 4,000 rpm

VK56DE – Endurance 5.6-liter DOHC 32-valve V8 engine

Standard on NV3500 HD, Optional on NV2500 HD
Horsepower – 317 hp @ 5,200 rpm
Torque – 385 lb-ft @ 3,400 rpm

Emissions – 50 State Emissions

Continuously Variable Valve Timing Control System (CVTCS)

Nissan Direct Ignition System

Electronic drive-by-wire throttle

Alternator (130 amps)

Iridium-tipped spark plugs

Heavy-duty battery (Part of )

DRIVETRAIN

5-speed automatic transmission

Final gear ratio – V6 (3.36:1)

Final gear ratio – V8 (3.54:1)

2-wheel Active Brake Limited Slip (ABLS)

WHEELS AND TIRES

17" x 7.5" steel wheels – Standard on NV1500 (S)

17" x 7.5" styled steel wheels – Standard on NV1500 (SV), NV2500 HD, NV3500 HD

LT245/70R17 all-season tires – Standard on NV1500, NV2500 HD

LT245/75R17 all-season tires – Standard on NV3500 HD

Full-size spare tire

BRAKES

14.2" Front vented disc brakes

14.4" Rear vented disc brakes

4-wheel Anti-lock Braking System (ABS)

Electronic Brake force Distribution (EBD)

Brake Assist

SUSPENSION AND STEERING

Front: Independent double-wishbone

Rear: Multi-leaf with solid axle

Front and rear stabilizer bars

Engine-speed-sensitive hydraulic recirculating ball steering

Full-length, fully boxed ladder frame




< Innovation that works.

The NV's truck-like design provides greater legroom, easier engine access and increased visibility. To help minimize the seats from fraying, a seat wear patch on both the upper and lower bolsters is made of heavy-duty vinyl.




< NV's 57 integrated reinforced mounting points

combine with flat interior walls to help securely attach shelving and maximize cargo space. You can upfit specific to your needs without having to drill holes in your vehicle's body.



A fully boxed full-length ladder frame is at the core of every NV. Some of our competitors use 3-sided open "C" rails instead. You don't need to be a structural engineer to know the obvious: when building, four walls are stronger than three.



Largest brakes in its class. >

The NV Lineup features 4-wheel disc brakes with 14" front ventilated discs to provide maximum contact area for rapid heat dissipation, long-lasting durability and confident towing.



< Stay connected. The NV features available technological solutions that integrate seamlessly with your workday including hands-free Bluetooth®, navigation, 120v outlets and USB inputs. Available steering-wheel-mounted controls keep phone and audio at your fingertips.



< The NV is your mobile office, with the only available center console in its class. Lockable, with room for hanging files or a laptop computer and a top that slides forward to be a convenient workdesk, it's a master multi-tasker.

PACKAGES

TOWING PACKAGE (V8)

Power heated chrome extendable tow mirrors
2 Front tow hooks with Tow Mode A/T
Class IV tow hitch receiver
7-pin connector pre-wiring
Brake controller pre-wiring
Heavy-duty battery

REAR DOOR GLASS PACKAGE

Rear door windows with privacy glass
Interior rearview mirror
Rear window defroster (SV only)

TECHNOLOGY PACKAGE WITH REARVIEW MONITOR (SV)

Nissan Navigation System with 5.0" color touch-screen monitor and XM NavTraffic®¹
AM/FM/CD/MP3 audio system
USB and auxiliary audio ports
XM® Satellite Radio¹
Bluetooth Hands-free Phone System
RearView Monitor

SIDE AND CURTAIN AIR BAGS PACKAGE

Driver's and passenger's seat-mounted side-impact supplemental air bags
Roof-mounted curtain supplemental air bags for side-impact and rollover head protection

Buying and owning a Nissan is like driving one: quick, convenient, confidence-inspiring.

Nissan Motor Acceptance Corporation. Whether you're buying or leasing, you'll find attractive rates and flexible terms to make your purchase more accessible.

New Vehicle Limited Warranties. Protection for your new Nissan includes 3-year/36,000-mile "bumper to bumper" basic coverage and 5-year/60,000-mile powertrain coverage.

Genuine Nissan Parts. When it comes time for service, any necessary replacement parts will be made using Genuine Nissan new or remanufactured parts, or Nissan-approved parts. And they're the only parts to carry Nissan's factory-backed limited warranty.

Choose a dealer to buy your Nissan NV:

GANDRUD NISSAN
1001 AUTO PLAZA DRIVE
GREEN BAY, WI 54302
(920) 468-6800

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

At NissanCommercialVehicles.com, you'll find virtual product demonstrations, a way to "build your own Nissan," a dealer locator, and more information about key Nissan support services. Or if you'd prefer, call 1-800-NISSAN-3 for answers to specific questions about Nissan Commercial Vehicles or any other Nissan vehicle. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Tread Lightly!® Please. Always wear your seat belt, and please don't drink and drive. ©2011 Nissan North America, Inc.